

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61L 27/00, 29/00, 31/00, 33/00 -	A1	(11) International Publication Number: WO 98/23306 (43) International Publication Date: 4 June 1998 (04.06.98)
(21) International Application Number: PCT/US97/21153 (22) International Filing Date: 18 November 1997 (18.11.97) (30) Priority Data: 08/755,189 25 November 1996 (25.11.96) US (71) Applicant: MEADOX MEDICALS, INC. [US/US]; 112 Bauer Drive, Oakland, NJ 07436 (US). (72) Inventors: PATNAIK, Birendra, K.; 13 South Gables Drive, Chester, NJ 07930 (US). ZDRAHALA, Richard, J.; 9641 Yukon Avenue, South, Bloomington, MN 55438 (US). (74) Agents: SCOLA, Daniel, A., Jr. et al.; Hoffmann & Baron, LLP, 350 Jericho Turnpike, Jericho, NY 11753 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: PROCESS FOR PREPARING POLYMER COATINGS GRAFTED WITH POLYETHYLENE OXIDE CHAINS CONTAINING COVALENTLY BONDED BIO-ACTIVE AGENTS (57) Abstract Disclosed are bio-active coating compositions for polymeric substrates. In particular, a bio-active coating is described which is the reaction product formed by providing a polymer backbone with at least one free isocyanate group, wherein the isocyanate group is pendant from the polymer backbone. There is further provided a hydrophilic, amine-terminated spacer which has at least one amine group at its first and second ends. One of the amine groups of the spacer is reacted with one or more of the isocyanate groups on the polymer backbone in the presence of an optional catalyst agent. A bio-active agent is then covalently bonded onto an unreacted end of the spacer in the presence of a catalyst. Also disclosed are coating compositions for a substrate and methods of preparing same.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon		Republic of Korea	PT	Portugal		
CN	China	KR	Republic of Korea	RO	Romania		
CU	Cuba	KZ	Kazakstan	RU	Russian Federation		
CZ	Czech Republic	LC	Saint Lucia	SD	Sudan		
DE	Germany	LI	Licchtenstein	SE	Sweden		
DK	Denmark	LK	Sri Lanka	SG	Singapore		
EE	Estonia	LR	Liberia				

5

10

15

20

25

Various anti-thrombogenic agents, such as, heparin, have been developed and incorporated into bio-compatible substrates to combat thrombus formation. In a living system, heparin inhibits the conversion of a pro-enzyme (prothrombin) to its active form (thrombin). Thrombin catalyzes a complicated biochemical cascade which ultimately leads to the formation of a thrombus.

Infection is also a serious concern for substrates to be implanted into a host organism. Bacterial, viral and other forms of infection may lead to life-threatening complications when a substrate is implanted into a host organism. Thus, binding of an anti-infection agent to a surface of an implantable substrate can reduce the risk of infection when a substrate is introduced into a host organism.

The art is replete with various procedures for grafting bio-active molecules onto polymer surfaces to prevent thrombus formation and/or infection. For example, bio-compatible polymer surfaces have been described with various benefits including decreased thrombogenicity, increased abrasion-resistance and improved hydrophilic lubricious properties. Alternatively, preparing polymeric surfaces to receive bio-active agents by plasma treatment is also well known in the art.

Various polyurethane coatings to which bio-active agents are added have also been described. For example, bio-active agents directly bound to the polymer backbone of a polymer coating material are known. Also, polymer coatings are described that include either covalently or ionically binding bio-active agents to substrate surfaces. For example, photochemical reactions are described which covalently bind bio-active agents to substrate surfaces. Also, quaternary ammonium reagents are described which ionically bind a bio-active agent to a substrate. In polyurethane coatings, various spacer molecules that link bio-active agents to polymer substrates have been described by several studies. These studies indicate that bio-active agents, such as, for example, heparin bound to polymer coatings, retain more of their activity if they are tethered away from the surface of an substrate by a spacer.

Various substrate surfaces have previously been described that are suitable for introducing into a biological system. For example, Yoda et al. in U.S. Patent No. 5,061,777 disclose that polyurethanes and polyurethaneureas containing both hydrophilic and hydrophobic polyether segments are more anti-thrombogenic than substrates produced from either a hydrophilic or a hydrophobic polyol exclusively. Similarly, Elton in U.S. Patent No. 5,077,352 discloses a method of forming a mixture of an isocyanate, a polyol and a poly(ethylene oxide) in a carrier liquid. This mixture is then heated and cured to form a coating of a polyurethane complexed with a poly(ethylene oxide) having good adherence to a substrate and good anti-friction properties.

A significant limitation of these bio-compatible polymer surfaces, however, is that they are not completely bio-compatible. Thrombus formation and infection continue to pose problems when a substrate is implanted within a host using these bio-compatible polymer surfaces. Thus, various alternative methods have been described for preparing the surface of a substrate to be implanted in a host organism to accept bio-active agents. Plasma treatment of substrate surfaces is one such method.

For example, Hu et al. in U.S. Patent No. 4,720,512 disclose a method for imparting improved anti-thrombogenic activity to a polymeric support structure by coating it with an amine-rich material, e.g., a polyurethaneurea, introducing hydrophobic groups into the amine-rich surface coating through plasma treatment with fluorine compounds, and covalently bonding an anti-thrombogenic agent to the hydrophobic amine-rich surface.

Such a method for plasma treating a substrate surface is limited in its scope because it only works with certain substrates. Thus, it does not provide a general purpose coating composition that can bind to a variety of substrate surfaces. In an alternate approach, however, various methods have been described for binding bio-active agents directly to substrate surfaces.

For example, Solomon et al. in U.S. Patent No. 4,642,242 disclose a process for imparting anti-thrombogenic activity to a polyurethane polymer material by coating a support structure with a protonated amine-rich polyurethaneurea, activating the amine moiety with an alkaline buffer, and covalently linking an anti-thrombogenic agent, e.g., heparin, to the polyurethaneurea with a reducing agent.

Bio-active agents bound directly to polymer backbones suffer from several limitations. First, because these bio-active agents are directly linked to the polymer backbone, their in vivo mobility is decreased. Second, the process of linking the bio-active agent to the polymer backbone may diminish the number of functional binding sites on the bio-active agent. Third, the bio-active agent's close proximity to the polymer backbone limits its ability to interact with its physiological substrates. Thus, for all of these reasons, coatings containing bio-active molecules bound directly to the polymer backbone are limited by the bio-active agent's decreased activity.

Accordingly, alternative methods have been developed for binding bio-active molecules to substrate surfaces. In particular, methods for ionically binding bio-active agents to a substrate via a quaternary ammonium compound have been described. See for example, Mano in U.S. Patent No. 4,229,838, Williams et al. in U.S. Patent No. 4,613,517, McGary et al. in U.S. Patent No. 4,678, 660, Solomon et al. in U.S. Patent No. 4,713,402, and Solomon et al. in U.S. Patent No. 5,451,424.

These methods, however, are severely limited because the bio-active agent is leached over time from the surface of the substrate. Thus, the protection afforded by the ionically bound bio-active agent to the substrate surface is transient at best. Accordingly, more permanent methods for binding bio-active molecules to substrate surfaces have also been developed. These methods include covalently binding a bio-active molecule, either directly, or via a spacer molecule, to a substrate surface.

For example, photochemical reactions have been described for preparing substrate surfaces to receive anti-thrombogenic agents. Kudo et al. in U.S. Patent No.

4,331,697 disclose a method for imparting anti-thrombogenic activity to a biomedical material by directly linking a heparin derivative to the surface of the material via actinic radiation. Similarly, Kudo et al. also disclose coating a surface of a biomedical material with a polymer having a carboxylic acid halide group and/or a carboxylic anhydride functional group as a side chain that can react with a heparin derivative.

Alternatively, Guire et al. in U.S. Patent Nos. 4,973,493 and 4,979,959 disclose methods for binding bio-active molecules to substrates using a linking moiety with functionalized end groups preferably that are activated by different signals. The linking moiety can covalently bind a bio-active molecule upon introduction of a first activation signal which activates the first functionalized end group. The linking moiety is further capable of covalently binding to the substrate upon introduction of a second, different, signal (photochemical) which activates the second functionalized end group.

Bichon et al. in U.S. Patent No. 4,987,181 disclose a substrate having an adhesive film with anti-thrombogenic properties on its surface. This adhesive film is an olefinic copolymer having side groups distributed randomly on the main chain, wherein these side groups are carboxylic groups and groups of the formula $-\text{CONH}-(\text{CH}_2)_n-\text{NH}_2-\text{CH}_2-\text{R}$, wherein R is a heparin molecule or a depolymerization fragment of a heparin molecule. The adhesive film is deposited onto the substrate via photo-initiated polymerization of a suitable monomer. Thus, heparin, or a fragment thereof, is covalently linked to the substrate via an amine spacer.

Although spacer molecules provide a means for optimizing the bio-activity of bio-agents bound to substrate surfaces, several problems persist in the photochemical reactions used to bind these bio-active molecules via spacers to substrate surfaces. Included among these problems are the ability of the bio-active molecule to withstand the photochemical signal used to bind it to the substrate surface, as well as, the ability of the substrate to withstand photoradiation. For example, inert polymeric substrates, e.g., polytetrafluoroethylene, degrade when exposed to photochemical reactions and

cannot be used therewith. Thus, attempts have been made to use spacer molecules to bind bio-active agents to substrate surfaces without photochemical reactive groups.

For example, in a four step process, Park et al. disclose immobilizing heparin onto a commercial preparation of a segmented polyetherurethaneurea (PUU) using hydrophilic poly(ethylene oxide) (PEO) spacers of different molecular weights. Their method includes (1) coupling hexamethyldiisocyanate (HMDI) to a segmented polyetherurethaneurea backbone through an allophanate/biuret reaction between the urethane/urea-nitrogen proton and one of the isocyanate groups on the HMDI. Next, (2) the free isocyanate groups attached to the backbone are then coupled to a terminal hydroxyl group on a PEO to form a PUU-PEO complex. Next (3) the free hydroxyl groups of the PUU-PEO complex are treated with HMDI to introduce a terminal isocyanate group. Finally, (4) the NCO functionalized PUU-PEO is then covalently bonded to reactive functional groups on heparin (-OH and -NH₂) producing a PUU-PEO-Hep product. K.D. Park and S.W. Kim, "PEO-Modified Surfaces-In Vitro, Ex Vivo and In Vivo Blood Compatibility", in *Poly(Ethylene Glycol) Chemistry: Biotechnical and Biomedical Applications* 283 (J. Milton Harris ed. 1992). This method will be referred to hereinafter as the "Park Method."

The Park Method, however, suffers from several draw backs. In particular, because of the number of reactions steps involved in the Park Method, the synthesis of the coating composition is slow, inefficient and prone to side reactions which contributes to the low yield and an increase in the amount of cross-linked polymer.


In general, all of these disclosures have addressed substrate surfaces and/or coatings therefor which can exist within biological systems and in particular, can increase the anti-thrombogenicity of the surface of, e.g., medical substrates. These reactions, however, are generally slow, multi-step syntheses, and are characterized by side reactions which lead to low yields and formation of cross-linked polymers. In addition, these reactions cannot be universally applied to substrate surfaces. Thus, in particular, there is a need for a bio-active coating and process that can be used with a

broad spectrum of substrate surfaces. In addition, there is a need particularly for a coating process that uses a hydrophilic amine-terminated spacer to maximize the bio-activity of the bio-active agent. There is also a need for a simplified bio-active coating process that provides a higher yield of polymer with negligible cross-linking in a shorter period of time. The present invention is directed toward providing a solution therefor.

SUMMARY OF THE INVENTION:

The present invention relates to a bio-active coating formed by the process that includes providing a polymer backbone with at least one free reactive functionality which is pendant from the polymer backbone. There is further provided a hydrophilic spacer having at least one reactive functional group at its first and second ends. One of the reactive functional groups of the hydrophilic spacer is then reacted with one or more of the reactive functionalities on the polymer backbone. A bio-active agent is then covalently bonded onto the unreacted end of the spacer via the unreacted functional group to covalently bind the bio-active agent to the spacer.


In another embodiment of the present invention, a coating composition for a substrate is provided that includes a polymer backbone having a reactive functionality covalently bonded thereto and at least one pendant moiety bonded to the reactive functionality. The pendant moiety is selected from the group consisting of:



wherein R¹ is a spacer selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides; and R² is a bio-active agent selected from the group consisting of antithrombogenic agents, antibiotics, antibacterial agents, antiviral agents, their pharmaceutical salts and mixtures thereof.

In yet another embodiment of the present invention, there is provided a method for preparing a bio-active polymer coating having a bio-active group covalently bonded through a spacer group to a polymer backbone that includes introducing a reactive functionality into the polymer backbone; reacting the reactive functionality of the polymer backbone with a hydrophilic spacer having at least one reactive functional group at its terminal ends to attach the spacer as a pendant group off the backbone; and further reacting the pendant group with a bio-active agent to covalently bond the bio-active agent to the pendant group.

In a further embodiment of the present invention, there is provided a polymer-bound bio-active composition represented by the structure:



wherein P is a biocompatible polymer backbone having reactive functionality. The reactive functionality may be selected from the group consisting of isocyanates, carboxyls, amines and mixtures thereof. R¹ is a hydrophilic spacer group selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides; and R² is a bio-active agent selected from the group consisting of antithrombogenic agents, antibiotics, antibacterial agents, antiviral agents, their pharmaceutical salts and mixtures thereof.

In yet another embodiment, there is provided a bio-active coating having a polymer backbone and a bio-active agent bound thereto through a pendant hydrophilic spacer group. This bio-active coating is a reaction product that includes a polymer

backbone having at least one free reactive pendant group, a hydrophilic spacer having at its first and second terminal ends at least one functional group which is reactive with the free reactive functional group, and a bio-active agent covalently reactive with an unreacted functional group in the hydrophilic spacer.

5

Thus, the invention provides a bio-active coating, coating compositions and a method for preparing same.

DETAILED DESCRIPTION OF THE INVENTION:

10

While this invention is satisfied by embodiments in many different forms, there will be described herein in detail preferred embodiments of the invention, with the understanding that the present disclosure is to be considered as exemplary of the principles of the invention and is not intended to limit the invention to the embodiments illustrated and described. The scope of the invention will be measured by the appended claims and their equivalents.

15

In accordance with the present invention, novel bio-active coatings and their use in developing anti-thrombogenic and/or anti-infective substrates are provided. More particularly, new reaction schemes are provided for the synthesis of heparinized polyurethanes.

20


The bio-active coatings and method described herein are particularly advantageous over previously disclosed polymer coatings, especially the Park Method described herein above, because the composition and structure of the present coatings are more controllable and reproducible. In addition, the properties of the bio-active coatings of the present invention can be varied easily, e.g., biostability, hydrophilicity etc. Also, the methods of synthesizing the present bio-active coatings are more efficient and take less time than previously disclosed methods. Another advantage of the present invention is that the reactions may be carried out at lower temperatures. Importantly, the reaction schemes of the present invention form fewer cross-links and provide higher polymer yields than previously described methods.

25


30

The polymer backbones of the present invention are comb-type polymers in which bio-active molecules, such as heparin, are attached. Preferred polymers are siloxane-urethane copolymers, or most preferably, polyurethanes including poly(esterurethane)ureas, poly(etherurethane)ureas, poly(carbonateurethane)ureas, and mixtures thereof.

A bio-active coating composition of the invention was synthesized by a process that included reacting a segmented polyesterurethaneurea, such as for example, a commercially available preparation of BIOSPAN® (The Polymer Technology Group, Inc.; Emeryville, CA) with a polyol, such as for example, hexamethylene diisocyanate (HMDI). The resulting product was a poly(esterurethane)urea polymer containing isocyanate functionality (I). This polymer was then added to a hydrophilic spacer group, such as for example an amine-terminated poly(ethylene oxide) (II) in the presence of an optional catalyst, such as for example, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (EDC) as indicated below:



The product (III) of the reaction indicated above is a polymer-spacer complex. A bio-active agent, such as heparin, is then covalently bound to the polymer-spacer complex in the presence of a catalyst which may also function as a dehydrating agent in aqueous environments, such as, EDC, as indicated below:



wherein R is selected from the group consisting of NHCO, NHCOO, and NHCONH. The product (IV) of the reaction indicated above is characterized by the presence of at least an amide linkage between the spacer and the bio-active molecule, e.g., heparin. This composition and its method of synthesis will be referred to hereinafter as “Inventive Embodiment I.”

Thus, in Inventive Embodiment I, an optional catalyst is used to facilitate the reaction in which the spacer is covalently bound to the polyurethane backbone. Similarly, a catalyst is used to facilitate the reaction in which the bio-active agent is covalently bound to the polyurethane backbone via the hydrophilic spacer. Preferably, EDC catalyzes both of these reactions in the media of the present invention. In non-aqueous organic solvents, many carbodiimides can be used, such as, for example, dicyclohexyl carbodiimide.

As Table 1 indicates, the present invention, e.g., Inventive Embodiment I, significantly improves upon previously described bio-active coating compositions and methods of making same, such as the Park Method described herein.

TABLE 1

	Park Method	Inventive Embodiment I
Polymer Yield (gm/gm starting material)	0.40 ± 0.5	0.70 ± 0.08
Level of Polymer Cross- Linking (%)	Moderate (1-60)	Low (1-30)

	Park Method	Inventive Embodiment I
Factor Xa Heparin Activity $\mu\text{g}/\text{cm}^2$	0.03-0.13	0.03-0.22

As illustrated in Table 1, the method of the present invention provides for approximately a 100% increase in polymer yield, while significantly decreasing the amount of polymer cross-linking, i.e. unwanted side-reactions and cross-reactions, and without sacrificing heparin bio-activity.

The bio-active agent of the present invention is bound to the polymer backbone via a spacer group. The spacer group may include aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides. The spacer group is intended to be hydrophilic in order to take advantage of the natural repulsive forces of the hydrophobic substrate. The spacer group should have reactive functional groups on each end that are capable of reacting with, and binding to the polymer backbone and bio-active agent, respectively. Preferably, the reactive functional groups on each end of the spacer are, for example, NH_2 groups, COOH groups, NCO groups and mixtures thereof. An amino end-blocked poly(ethylene oxide) is a preferred example of such a spacer group.

Moreover, hydrophilic poly(ethylene oxide) spacers are preferred because they have low interfacial free energy, lack binding sites, and exhibit highly dynamic motion. These characteristics are important because they increase the activity of a PEO-linked bio-active agent, e.g., heparin. See, K.D. Park et al., supra.

As previously mentioned, the length of the spacer group may be used to control the bio-active agent's activity. It is known in the art that the anti-thrombogenic activity of heparin is increased when it is positioned a certain distance from the substrate to which it is bound. For example, in a comparison of polymer-spacer-heparin coatings

using a C₆ alkyl spacer, PEO 200, PEO 1000 and PEO 4000, the polymer-PEO 4000-Heparin surface maintained the highest bio-activity. See, K.D. Park et al., supra. Thus, methods are available in the art for controlling the activity of a polymer-bound bio-active agent. By utilizing such methods, one may determine the optimal length of the spacer. Accordingly, as used herein, "effective distance" means the distance between the bound bio-active agent and the polymer backbone which corresponds to a desired level of activity in the bio-active agent.

Thus, in the present invention, control over the bio-active agent's activity is achieved by varying the length, i.e., molecular weight, of the spacer group. The spacer group may have a molecular weight of about 100 to about 200,000 daltons. Preferably, the spacer group has a molecular weight of about 200 to about 50,000 daltons. More preferably, the spacer group has a molecular weight of about 1,000 to about 10,000 daltons. Most preferably, the spacer group has a molecular weight of 4,000 daltons.

In accordance with the present invention, a significant reduction of thrombus formation and/or infection associated with the use of medical substrates is achieved by combining an anti-thrombogenic and/or an anti-infective agent in a coating to be applied to the host-contacting surface(s) of the substrate. A variety of anti-infective agents as known in the art may be used, including, antibiotics, such as penicillin and antibacterial agents such as silver sulfadiazine. Similarly, a variety of anti-thrombogenic agents known in the art may be used, including, heparin, aldehyde-terminated heparin, e.g., a nitrous acid degraded heparin molecule, hirudin, hirulog, prostaglandin, urokinase, streptokinase, sulfated polysaccharide, and albumin. In some cases it may be desirable to provide either dual anti-infective or anti-thrombogenic action with two or more agents. Additionally, it may be desirable to combine an anti-infective and an anti-thrombogenic action by combining two or more of these different agents. The invention will be described in terms of the preferred heparin, a known anti-thrombogenic agent of known safety and high anti-coagulation activity, with the understanding that the invention contemplates any anti-thrombogenic and/or anti-

infective agent which may be grafted to the polymer backbone by the method of the present invention.

A substrate of the invention may be any medical article compatible with a polymer bound bio-active agent coating which, absent the coating, may lead to thrombus formation and/or infection when in contact with a body tissue or fluid. Exemplary of, but not limited to, such substrates are vascular access (arterial and venous) catheters, introducers, vascular grafts, endoprosthesis, stents, stent-graft combinations, urinary catheters and associated substrates, such as drainage bags and connectors, and all abdominal cavity drainage tubing, bags and connectors. Preferred substrates are polymeric, such as for example, polyethyleneterephthalate (PET) and expanded polytetrafluoroethylene (ePTFE). In particular, ePTFE small caliber vascular grafts are preferred embodiments of the present invention. For purposes of this invention, "vascular grafts" is meant to include endoprostheses.

In another embodiment of the invention, a coating composition is described which includes a polymer backbone to which a reactive functionality is bonded covalently. Although isocyanate functionality is preferred, carboxyl or other reactive functionalities may be substituted for the preferred isocyanate as long as such functionality is reactive with the spacer group as described above.

In this embodiment, at least one pendant moiety is covalently bonded to the reactive functionality (e.g. isocyanate) of the polymer backbone. This pendant moiety is defined by the structure:




wherein R¹ and R² are a spacer and bio-active agent, respectively, as defined hereinabove.

In a further embodiment of the invention, a method for preparing a bio-active polymer coating is described in which a bio-active agent is covalently bonded through a spacer group to a polymer backbone. As described hereinabove, a reactive functionality such as, for example, an isocyanate functionality is introduced into the polymer backbone. Although the preferred isocyanate functionality is described, any functionality may be used which can participate in covalently bonding a spacer group to the polymer backbone.

Once covalently bonded to the polymer backbone, the reactive functionality is reacted with one end of a hydrophilic spacer having at least one reactive functional group at its first and second ends as described hereinabove. This reaction may be catalyzed by an optional catalyst as described hereinabove. Upon such a reaction, the spacer is attached as a pendant group off of the polymer backbone. By further reacting an unreacted end of the spacer group with a bio-active agent in the presence of an optional catalyst, such as EDC, as described hereinabove, the bio-active agent is covalently bonded to the pendant group.

In yet another embodiment of the invention, there is described a polymer-bound bio-active composition having the following structure:



In this structure, as described hereinabove, P, R¹, and R² are a bio-compatible backbone having isocyanate functionality, a spacer group and a bio-active agent, respectively.

5 In yet another embodiment of the invention, a bio-active coating composition includes a polymer backbone containing reactive functionality, a hydrophilic spacer having at least one functional group at its first and second ends and a bioactive agent which is covalently reactive with the hydrophilic spacer. As used herein, "covalently reactive with" means that the bioactive agent is capable of forming a covalent bond with an unreacted end of the hydrophilic spacer.

10 In a further embodiment of the invention, a bio-active coating includes a polymer backbone and a bio-active agent bound thereto through a pendant hydrophilic spacer group. This bio-active coating is the reaction product of the chemical combination of a polymer backbone, a hydrophilic spacer and a bio-active agent, all of which are described hereinabove.

15 The invention being thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the invention and all such modifications are intended to be included within the scope of the following claims.

WHAT IS CLAIMED IS:

- 1) A bio-active coating formed by the process comprising:
 - a) providing a polymer backbone with at least one free reactive functionality, wherein said at least one free reactive functionality is pendant from said polymer backbone;
 - 5 b) further providing a hydrophilic spacer having at least one reactive functional group at its first and second ends;
 - c) reacting one of said reactive functional groups on said spacer with one or more of said reactive functionalities on said polymer backbone; and
 - d) covalently bonding a bio-active agent onto an unreacted functional
10 group of said spacer.
- 2) The bio-active coating of claim 1, wherein said polymer backbone is a polyurethane selected from the group consisting of a segmented poly(esterurethane)urea, a poly(carbonateurethane)urea, a poly(etherurethane)urea and mixtures thereof.
- 3) The bio-active coating of claim 1, wherein said at least one reactive functionality is selected from the group consisting of isocyanate, carboxyl, amine and mixtures thereof.
- 4) The bio-active coating of claim 1, wherein said hydrophilic spacer is selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic
5 methacrylates, polyamino acids, and linear polysaccharides.
- 5) The bio-active coating of claim 1, wherein said reactive functional group on said spacer is selected from the group consisting of NH_2 , COOH , NCO and mixtures thereof.

6) The bio-active coating of claim 1, wherein said hydrophilic spacer is an amine end-blocked poly(ethylene oxide).

7) The bio-active coating of claim 6, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 100 daltons to about 200,000 daltons.

8) The bio-active coating of claim 6, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 200 to about 50,000 daltons.

9) The bio-active coating of claim 6, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 1,000 to about 4,000 daltons.


10) The bio-active coating of claim 1, wherein the molecular weight of said hydrophilic spacer positions said bio-active agent at a bio-effective distance from said polymer backbone.

11) The bio-active coating of claim 1, wherein said bio-active agent is selected from the group consisting of anti-thrombogenic agents, antibiotic agents, antiviral agents, their pharmaceutical salts and mixtures thereof.

12) The bio-active coating of claim 1, wherein said bio-active agent is selected from the group consisting of heparin, an aldehyde-terminated heparin, and pharmaceutical salts thereof.

13) The bio-active coating of claim 1, wherein 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride separately catalyzes the reaction of said spacer with said polymer backbone and said covalent bonding of said bio-active agent to said spacer.

14) A coating composition for a substrate that includes a polymer backbone having a reactive functionality covalently bonded thereto and at least one pendant moiety bonded to said reactive functionality, said pendant moiety selected from the group consisting of:



5

wherein R¹ is a spacer selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides; and R² is a bio-active agent selected from the group consisting of antithrombogenic agents, antibiotics, antibacterial agents, antiviral agents, their pharmaceutical salts and mixtures thereof.

10

15) The coating composition of claim 14, wherein said reactive functionality is an isocyanate functionality.

16) The coating composition of claim 14, wherein R¹ is an amine end-blocked poly(ethylene oxide).

17) The coating composition of claim 16, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 100 daltons to about 200,000 daltons.

18) The coating composition of claim 16, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 50 to about 200,000 daltons.

19) The coating composition of claim 16, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 1,000 to about 4,000 daltons.

20) The coating composition of claim 14, wherein the molecular weight of said spacer positions said bio-active agent at a bio-effective distance from said polymer backbone.

21) The coating composition of claim 14, wherein said antithrombogenic agent is selected from the group consisting of heparin, aldehyde-terminated heparin and pharmaceutical salts thereof.

22) The coating composition of claim 14, wherein said polymer backbone is a polyurethane selected from the group consisting of a segmented poly(esterurethane)urea, a poly(carbonateurethane)urea, a poly(etherurethane)urea, and mixtures thereof.

23) A method for preparing a bio-active polymer coating having a bio-active group covalently bonded through a hydrophilic spacer group to a polymer backbone comprising:

- 5
- a) introducing a reactive functionality into said polymer backbone;
 - b) reacting said reactive functionality of said polymer backbone with said hydrophilic spacer, wherein said spacer has at least one reactive functional group at its terminal ends to attach said spacer as a pendant group off of said backbone; and
 - d) further reacting said pendant group with a bio-active agent to covalently bond said bio-active agent to said pendant group.

24) The method of claim 23, wherein said reactive functionality on said polymer backbone is reacted with a hydrophilic spacer selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides.


5

- 25) The method of claim 23, wherein said reactive functional group of said spacer is selected from the group consisting of NH_2 , COOH , NCO and mixtures thereof.
- 26) The method of claim 23, wherein said reactive functionality of said polymer backbone is reacted with a hydrophilic, amine end-blocked poly(ethylene oxide).
- 27) The method of claim 23, wherein said reactive functionality of said polymer backbone is reacted with a hydrophilic, amine end-blocked poly(ethylene oxide) having a molecular weight of about 100 daltons to about 200,000 daltons.
- 28) The method of claim 23, wherein said reactive functionality of said backbone is reacted with a hydrophilic, amine end-blocked poly(ethylene oxide) having a molecular weight of about 200 to about 50,000 daltons.
- 29) The method of claim 23, wherein said reactive functionality of said polymer backbone is reacted with an amine end-blocked poly(ethylene oxide) having a molecular weight of about 1,000 to about 4,000 daltons.
- 30) The method of claim 23, wherein said hydrophilic spacer positions said bio-active agent at an effective distance from said polymer backbone, said effective distance being determined by the molecular weight of said spacer.
- 31) The method of claim 23, wherein said pendant group reacts with said bio-active agent which is selected from the group consisting of anti-thrombogenic agents, antibiotic agents, antibacterial agents, antiviral agents, their pharmaceutical salts, and mixtures thereof.
- 32) The method of claim 23, wherein said pendant group reacts with heparin, aldehyde-terminated heparin and pharmaceutical salts thereof.

33) The method of claim 23, wherein said further reacting said pendant group with a bio-active agent occurs in the presence of a catalyst.

34) The method of claim 23, wherein 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride separately catalyzes the reaction of said backbone with said spacer and said spacer with said bio-active agent.

35) A polymer-bound bio-active composition represented by the structure:



wherein P is a biocompatible polymer backbone having reactive functionality selected from the group consisting of isocyanates, carboxyls, amines, and mixtures thereof; R¹ is a hydrophilic spacer group selected from the group consisting of aliphatic hydrocarbons, poly(oxy olefins), hydrophilic polyethers, hydrophilic polyethylenes, modified polyolefins, aliphatic polyesters, polyamines, polysiloxanes, polysilazanes, hydrophilic acrylates, hydrophilic methacrylates, polyamino acids, and linear polysaccharides; and R² is a bio-active agent selected from the group consisting of antithrombogenic agents, antibiotics, antibacterial agents, antiviral agents, their pharmaceutical salts and mixtures thereof.

36) The bio-active composition of claim 35, wherein said polymer backbone is a polyurethane selected from the group consisting of segmented poly(esterurethane)urea, poly(carbonate)urethaneurea, poly(etherurethane)urea, and mixtures thereof.

37) The bio-active composition of claim 35, wherein R¹ is an amine end-blocked poly(ethylene oxide).

38) The bio-active composition of claim 37, wherein said amine end-blocked poly(ethylene oxide) has a molecular weight of about 100 daltons to about 200,000 daltons.

39) The bio-active coating of claim 35, wherein the molecular weight of said hydrophilic spacer positions said bio-active agent at a bio-effective distance from said polymer backbone.

40) The bio-active coating of claim 35, wherein said bio-active agent is selected from the group consisting of heparin, aldehyde-terminated heparin and pharmaceutical salts thereof.

41) A bio-active coating having a polymer backbone and a bio-active agent bound thereto through a pendant hydrophilic spacer group, said coating comprising the reaction product of

a polymer backbone having at least one free reactive pendant group,

a hydrophilic spacer having at its first and second terminal ends at least one functional group reactive with said free pendant reactive functional group; and

a bio-active agent covalently reactive with an unreacted functional group in said hydrophilic spacer.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 97/21153

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61L27/00 A61L29/00 A61L31/00 A61L33/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 263 184 A (TORAY INDUSTRIES) 13 April 1988 see page 9, paragraph 3 - page 10, paragraph 1 see example 1 see claims 1,2,6,11 --- -/--	1,3-12, 14-21, 23-32, 35,37-41

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

5 March 1998

Date of mailing of the international search report

12/03/1998

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Heck, G

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 97/21153

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 91 19521 A (HOLLAND BIOMATERIALS GROUP B V) 26 December 1991</p> <p>see page 3, line 18 - line 27 see claims 1,2,10,16-18</p>	<p>1,3-7, 10-12, 14,16, 17,20, 21, 23-27, 30-32, 35,37-41</p>
X	<p>KI DONG PARK ET AL: "SYNTHESIS AND CHARACTERIZATION OF SPUU-PEO-HEPARIN GRAFT COPOLYMERS" JOURNAL OF POLYMER SCIENCE, POLYMER CHEMISTRY EDITION, vol. 29, no. 12, 1 November 1991, pages 1725-1737, XP000261976 see abstract see page 1726, left-hand column, paragraph 2 - page 1728, left-hand column, paragraph 1</p>	<p>1-5, 10-12, 14,15, 20-25, 30-32, 35,36, 39-41</p>
X	<p>AI-ZHI PIAO ET AL: "HEPARIN IMMOBILIZATION BY SURFACE AMPLIFICATION" ASAIO JOURNAL, vol. 38, no. 3, 1 July 1992, pages 638-643, XP000321590 see abstract see page 638, right-hand column, paragraph 4 - page 640, left-hand column, paragraph 2</p>	<p>1-12, 14-32, 35-41</p>
X	<p>US 5 258 041 A (GUIRE PATRICK ET AL) 2 November 1993</p> <p>see column 6, line 45 - line 51 see examples 1,2</p>	<p>1,3-10, 13, 23-30, 33,34,41</p>

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 97/21153

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0263184 A	13-04-88	DE 3782394 A	03-12-92
		WO 8706007 A	09-10-87
		US 5043278 A	27-08-91
WO 9119521 A	26-12-91	NL 9001387 A	16-01-92
		CA 2085979 A	20-12-91
		DE 69127710 D	23-10-97
		EP 0595805 A	11-05-94
US 5258041 A	02-11-93	US 4973493 A	27-11-90
		US 4722906 A	02-02-88
		US 5512329 A	30-04-96
		US 5217492 A	08-06-93
		AT 137104 T	15-05-96
		CA 1335721 A	30-05-95
		DE 3855238 D	30-05-96
		DE 3855238 T	14-11-96
		DK 152590 A	24-08-90
		EP 0407390 A	16-01-91
		JP 3503005 T	11-07-91
		NO 180657 B	10-02-97
		WO 8905616 A	29-06-89
		US 5002582 A	26-03-91